INDEX TO VOLUME LVIII

Beginning with this volume (58) the Index consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index. The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc. The Fungous Taxa Index includes genera, infrageneric taxa, species, and infraspecific taxa. New taxa and the pages where they are published are in **bold-face type**. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur. The Host Index includes generic names of hosts and the fungi which are definitely indicated in the text as occurring on a host.

SUBJECT INDEX

Acervulus development 955 Acetate incorporation 307 Action spectrum of sporangium inhibition 676 Acyclic polyols in sclerotia 934 Adiaspiromycosis in Sorex 645 Aecia of grass rust fungi on Berberis-Mahonia 702 African soil fungi 846 Agersborg, H. P. K. See Gregory et al. 80 Ainsworth, G. C. [Review of] Mycological English-Latin glossary 983 , and A. S. Sussman (ed.). Vol. 1; fungi: an advanced treatise. review 497 Ajello, Libero. Orthographic note 970 Al-Doory, Yousef. The mycoflora of the intestinal contents of the vervet monkey 659 Algae Chlorella vulgaris 83 Sphacelaria 54 Sphacelaria fusca 53 Spirogyra 55 Alternation of generations and heter-oecism in Uromyces clignyi 456 Amos, Raymond E., Jr., and H. L. Bar-Umbelopsis versiformis, a new genus and species of the Imperfects 805 Anatomy of apothecium 725 Anchel, Marjorie. See See Bistis and Anchel 270 [Review of] Streptomyces products inhibiting mycobacteria 339

Annellophores in Torula jeanselmei 614 Annual review of phytopathology. Volume 3; review 504 Antitumor substances 80 Aoshima, Kiyowo. See Macrae and Aoshima 912 Apothecium, anatomy 725 Appressorium formation 401 Aquatic discomycetes 722 fungi 43 spore 43 Arabitol in sclerotia 938 Ascocarp development 752 Ascogenous hyphae cytomorphology 125 Ascohymenial stromata 260 Ascolocular stromata 260 Ascomycete evolution 249, 254, 259 stromata 257 Ascomycetes of India I. 57 wood-decaying 642 Ascospore discharge effect of dew 398 effect of light 399 effect of rain 398 effect of relative humidity 398 effect of temperature 399 germination 401 morphology in Corollospora 281 projection 400 Asexual spores 259, 262

- Aspergillus leporis, a new species related to A. flavus 738 Autotrophic marine ancestors 249 Axenic growth of Dispira 522
- Backus, M. P. See Stowell and Backus
- Bacteria 83 See Thompson and Backus 650
 - Achromobacter fischeri Azotobacter agilis
 - Bacillus subtilis Clostridium acetobutyricum
 - C. butyricum C. chauvoei
 - C. chauvoei C. histolyticum C. sporogenes
 - Escherichia coli
 - Klebsiella pneumoniae Mycobacterium smegmatis
 - Proteus vulgaris Pseudomonas aeruginosa
 - Rhizobium leguminosarium Sarcina lutea
 - Serratia marcescens Staphylococcus aureus
- Streptococcus faecalis Bacteriophages 83 Barksdale, Alma Whiffen. Segregation
- of sex in the progeny of a selfed heterozygote of Achlya bisexualis 802
- Barnett, H. L. See Amos and Barnett 805
- See Brunk and Barnett 518
 , and V. G. Lilly. Manganese requirements and deficiency symptoms of some fungi 585
- Barr, Margaret E. Observations on Urosporella 690
- Basidiomycetes 263, 264 antitumor substances 80 cultivation in the laboratory 511 isolation 511
 - isolation 511 isolation media 512 methods of isolation 512 tumor-inhibiting 511
- Basidiospore germination of Calvatia gigantea 328
- Baxter, John W. New records of North American rust fungi 971
- from Mexico 336

 Beneke, Everett S. See Wilson and
- Beneke 328
 Benjamin, Chester R. [Review of] The genus Aspergillus 500
- Benjamin, Richard K. The merosporangium 1
- Berkson, Burton M. Cytomorphologi-

- cal studies of the ascogenous hyphae in four species of Chaetomium 125 Biotrophic mycoparasites 518
- Bistis, George, and Marjorie Anchel. Evidence for genetic control of polyacetylene production in a basidiomycete 270
- Boletes of California 815
- Borut, Shira Y. See Joffe and Borut
- Brackish water 373
- Bradley, S. G., and D. C. Creevy. Effect of glucose on induction of γ-glucosidase in Candida 549
- Branch cankers of western hemlock 417 Britton, Michael P., and Donald P. Rogers. Puccinia lobata on hollyhock in Illinois 804
- Brodie, Harold J. Cyathus pygmaeus from northwestern United States 973
- Brooks, Travis E., and Donald T. Kowalski. A new species of Didymium
- from California 169 Brown plasmodial pigment, inheritance of 743
- Brunk, Mary, and H. L. Barnett. Mycoparasitism of Dispira simplex and D. parvispora 518
- Bulmer, G. S., and Yu-Teh Li. Enzymic activities in Calvatia cyathiformis during and after meiosis 555
- California
 - boletes. II. 815
 - new species of Lamproderma from
 - new species of Thamnidium from 797
- Canada, resupinate hymenomycetes from 927
- Carbohydrates in sclerotia 935
- Carbon dioxide effect in the mushroom Collybia velutipes 319
- Carbon and nitrogen utilization by Rhizopus oligosporus 681
- Carbonyl compounds 622 Carotenogenesis, effect of light on 671
- Carroll, George, and Richard Dykstra Synaptinemal complexes in Didymum iridis 166
- Carroll, George C. See Denison and Carroll 249
- Carter, J. C. See Pirone and Carter 325
 Case of poisoning by a mushroom in the
- Amanita pantherina complex 961 Cash, Edith K. A mycological English-Latin glossary; review of 983
- Cell wall 251 Cellophane tape-cover glass technique

preparing microscopic slide mounts of fungi 655

Cenoccum graniforme in Mexico 647 Cerium uptake 91

Ceylon, new species of Sordaria from 524

Christensen, Martha. See States and Christensen 738

Chromatography 672 Clark, J. See Collins and Clark 743

Clock mutants of Neurospora 541 Collins, O'Neil Ray. Plasmodial compatibility in heterothallic and homothallic isolates of Didymium iridis

and J. Clark. Inheritance of the brown plasmodial pigment in Didymium iridis 743

Collins, R. P., and K. Kalnins. Pro-duction of carbonyl compounds by several species of endoconidium-

forming fungi 622 Colquhoun, D. J. See Cowley and Col-quhoun 483

Conidia

arrangement 208 development of 955 of Hypoxylon fuscum 459

morphology 208 Conservation of Dactylium 965

Conspectus of species of Cephalosporium with particular reference to Indian species 351

Cook, Philip. See Fuller et al. 313 Coprophilous fungi 738

Coward strain of Cryptococcus neoformans 383

Cowley, G. T., and D. J. Colquhoun. A Pleistocene fungus from South Carolina 483

Creevy, D. C. See Bradley and Creevy

Cronartium mycelium parasitizing gymnosperm and angiosperm tissues simultaneously 474

Crown rot of boxed bananas 397 Cultivation

of Basidiomycetes 511

on agar and study of the plasmodia of Licea biforis, Licea variabilis, and Cribraria violacea 479

Cultural pathological variation in Glo-merella cingulata 402

Cummins, George B., and H. C. Greene. A review of the grass rust fungi that have uredial paraphyses and aecia on Berberis-Mahonia 702

Cunningham, John L. Germination of teliospores of the rust fungus Frommea obtusa 496

Cyathus pygmaeus from northwestern United States 973

Cytology of Alternaria tenuis 694

Cryptomycina pteridis 752

Diplocarpon maculatum on Crataegus. I. The Entomosporium stage 949

Physarum 662

protosexual yeasts 943 Pycnidiophora and Pseudeurotium 650

Cytomorphological studies of the ascogenous hyphae in four species of Chaetomium 125

Dactylaria in relation to the conservation of Dactylium 965

Decay in wood and wood fiber products by Sporotrichum pruinosum 592

Deficiency symptoms in fungi 585 Degeneration of gametangia 260 Deliquescent asci 258

Demise of the myxobacterial genus Angiococcus 962

Denison, William. [Review of] Mushroom cookery 339

Denison, William C., and George C. Carroll. The primitive ascomycete: a new look at an old problem 249

Development of the ascocarp in Cryptomycina pteridis 752

scribed from leaves of Gramineae

Trichobolus zukalii 289

Diatom

Coscinodiscus centralis 131 Sirolpidium bryopsidis 133

Dicaryophase 258 Didymosporous dimeriaceous fungi de-

221 Didymosporous fungi 221 Digitonin-preciptable sterols 307

Dimeriaceae 221

Dimeriaceous fungi 221 Discomycetes, aquatic 722

Distribution of Uredo phoradendri 811 Duncan, Catherine G., and Wallace E. Eslyn. Wood-decaying Ascomyce-tes and Fungi Imperfecti 4

Durrell, L. W., and Mary Fleming. A new species of Thamnidium from Death Valley, California 797

Dvořák, J., M. Otčenášek, and J. Pro-kopič. Adiaspiromycosis in Sorex 645

Dykstra, Richard. See Carroll and Dykstra 166

Echinosteliopsis, a new genus of the mycetozoa 966

Effect of glucose on induction of aglucosidase in Candida 549

Effects of light on carotenogenesis, growth, and sporulation of Syzygites megalocarpus 671

Egypt sorghum long smut 184

El-Ani, Arif S. A new species of Leptosphaeria, an etiologic agent of mycetoma 406

Elateraecium, a new form genus of Uredinales 391

Electron microscope studies of lichen reproductive structures in Physcia aipolia 786

Electron microscopy 543, 562

Ellis, J. J. On growng Syncephalis in pure culture 465

See Hesseltine and Ellis 761 Emendations and additions to Ramariopsis 201

Emmons, C. W. [Review of] Krank-heiten durch Schimmelpilze bei Schimmelpilze bei Mensch und Tier 346

Endo, Robert M. A cellophane tapecover glass technique for preparing microscopic slide mounts of fungi 655

Endoconidium-forming fungi 622 Entomosporium leaf blight 949 Enzymes

α-galactosidase 555 α-glucosidase 549 β-glucosidase 555 phosphatase 559

Enzymic activities in Calvatia cyathiformis during and after meiosis 555 Eslyn, Wallace E. Eslyn 642 See Duncan and

Espenshade, Marlin A., and Evan W. Griffith. Tumor-inhibiting basidiomycetes. Isolation and cultivation in the laboratory 511

Etiologic agent of mycetoma 406

Eumycophyta 263, 265

Evidence for genetic control of poly-acetylene production in a basidio-mycete 270

Evidence for a sexual hormone in the water mold Dictyuchus 215

Farr, Marie L. The didymosporous dimeriaceous fungi described from leaves of Gramineae 221

Fatty acid metabolism 136 Fiberboard decay 595

Fidalgo, Maria Eneyda Pacheco Kauffmann. See Fidalgo and Fidalgo 862

Fidalgo, Oswaldo, and Maria Eneyda Pacheco Kauffman Fidalgo. Polyporaceae from Trinidad and Tobago. I. 862

Fields, William G., and John W. Grear, Jr. A new heterothallic species of Sordaria from Ceylon 524

Filamentous organization 252

Financial report, Mycologia 988 Fleming, Mary. See Durrell and Flem-ing 797

Food reserves 251 Fossil fungi 483

Tribolites tetrastonyx 53, 55 French, D. W. See Merrill and French

er, Melvin S., Billy Lewis, and Philip Cook, Occurrence of Pyth-Fuller, ium sp. on the marine alga Porphyra 313

Fungi

an advanced treatise; review 497 in planktonic Synedra from brack-ish water 373 India 351

of pulp and paper in New York; review 505

Fungi Imperfecti, wood-decaying 642 Fungus genetics 208

Funk, A. See Reid and Funk 417 Further notes on

Pycnidiophora dispersa and Pseudeurotium multisporum 650 Suillus: the S. granulatus problem

Galactosidase in Calvatia 555

Gaspé, resupinate hymenomycetes from 927

Gelatinous (term) 486

Genetic control of

conidial morphology and arrangement in Cochliobolus carbonum 208

polyacetylene production 270

Genetics of Didymium iridis 743 Nannizzia 570, 580 Physarum 662

Genus

Aspergillus; review 500

Atropellis, and a new genus of the Helotiales associated with branch cankers of western hemlock 417

Phaeotrametes 529

Vibrissea, and the generic names Leptosporium, Apos temium, Apostemidium, Gorgoniceps and Ophiogloea 722

Germination of teliospores of the rust fungus Frommea obtusa 496

Giesy, Robert M. See Rudolph and Giesy 786

Gilbertson, Robert L. A case of poisoning by a mushroom in the Amanita pantherina complex 961

——. See Lombard and Gilbertson

Gilman, Alfred. See Goodman and Gilman 984

Glucose effect on induction of α-glucosidase in Candida 549

Glucosidase in Calvatia 555 Candida 549

Glycerol in sclerotia 938

Goodman, Louis S., and Alfred Gilman (eds.). The pharmacological basis of therapeutics; review 984

Gordon, Morris A. [Review of] Introduction a la micologia medica 347 Gramineae

fungi on leaves 221

Grass rust fungi with aecia on Berberis-Mahonia 702

with uredial paraphyses 702 Grear, John W., Jr. See Fields and Grear 524

Greene, H. C. See Cummins and Greene 702

Gregory, F. J., E. M. Healy, H. P. K. Agersborg, Jr., and G. H. Warren. Studies on antitumor substances produced by Basidiomycetes 80

produced by Basidiomycetes 80 Griffith, Evan W. See Espenshade and Griffith 511

Grimmer, H., and H. Rieth. Krankheiten durch Schimmelpilze bei Mensch und Tier; review 346 Groundnut mycoflora 629

Groundnut mycoflora 629 Growing Syncephalis in pure culture 465 Growth, effect of light on 671 Growth tubes, Ryan 641

Hanlin, Richard T. [Review of]
Icones fungorum maris 345
——. [Review of] Synoptic plates of

higher marine fungi 344
Hartmann, George C. The cytology of

Alternaria tenuis 694
Haustorium-producing mycoparasites
518

Hawksworth, Frank G. See Scharpf and Hawksworth 811

Hawthorn disease 951

Healy, E. M. See Gregory et al. 80

Heatwole, Harold. Moisture exchange between the atmosphere and some lichens of the genus Cladonia 148 Helicominopsis clematidis causing leaf-

spot of Clematis grata 159

Helotiales 731

a new genus 417 Hendrix, Floyd F., Jr. See Raabe and Hendrix 161

Hendrix, James W. Inability of Pythium apanidermatum and Phytophthora palmivora to incorporate acetate into digitonin-preciptable sterols 307

Henry, L. K. David Ross Sumstine (1870-1965); biography 175, portrait

Hesler, L. R., and Alexander H. Smith. North American species of Crepidotus; review 668

Hesseltine, C. W. [Review of] Mycotoxins in foodstuffs 502

681 See Sorenson and Hesseltine

and J. J. Ellis. Species of Absidia with ovoid sporangiospores. I.

Heterocaryosis 262 Heteroecism in Uromyces clignyi 456 Heterothallic

ascomycetes 256 isolates of Didymium iridis 362 species of Sordaria 524

Heterothallism 257 Heterozygote in Achlya bisexualis 802 Hirschioporus [Lenzites] laricinus and its synonyms: L. abietis, L. am-

bigua, L. pinicola 912 Historical review, Polyporaceae of Trinidad and Tobago 862

Holding rack for Ryan growth tubes 641

Hollyhock rust in Illinois 804 Homothallic isolates of Didymium iridis 362

Horsfall, James G., and Kenneth F. Baker (ed.). Annual review of phytopathology. Volume 3; review 504

Host-parasite relations 952 Hosts and distribution of Uredo phora-

dendri 811 Hymenomycetes, resupinate new North American records 930

species 927 Hypha-forming mutant of Cryptococcus neoformans 383

Hyphal anastomoses 252 Hypodermataceae 275

Iceland fungi of 490 Icones fungorum maris; review 345

Illinois, hollyhock rust in 804 Imperfects, new genus and species in 805 Inability of Pythium aphanidermatum and Phytophthora palmivora to incorporate acetate into digitoninprecipitable sterols 307 Ingold, C. T. Spore liberation; review

986

——. The tetraradiate aquatic fungal spore 43

Inheritance of the brown plasmodial pigment in Didymium iridis 743 Intermediates of fatty acid metabolism

by Cunninghamella echinulata 136 Intra-hyphal hyphae in "clock" mutants of Neurospora 541

Isolation of Basidiomycetes 511

Israel, soil fungi 629 Ixo-486

Ixotrichodermium 489

Jackson, R. C. See Koevenig and Jackson 662

Joffe, Abraham Z., and Shira Y. Borut. Soil and kernel mycoflora of groundnut fields in Israel 629 Johnson, G. T. See Lewis and Johnson

Johnson, G. T. See Lewis and Johnson 136

nism of cerium uptake by Saccharomyces cerevisiae 91

Johnson, T. W., Jr. Fungi in planktonic Synedra from brackish water 373

 A Lagenidium in the marine diatom Coscinodiscus centralis 131
 Rozella marina in Chytridium polysiphoniae from Icelandic waters 490

Joly, Patrick. Le genre Alternaria; review 340

Kaiser, W. J., and F. L. Lukezic. Occurrence, sporulation and pathogenicity studies with Glomerella cingulata associated with crown rot of boxed bananas 307

boxed bananas 397
Kalnins, K. See Collins and Kalnins
622

Kane, Wilma D. A new species of Leptolegniella 905

Keeling, Richard P. A holding rack for Ryan growth tubes 641

Kern, F. D. See Thirumalachar et al. 391

Kernel (groundnut) mycoflora 629. Keys

Absidia, species with ovoid or cuneate sporangiospores 783 Atropellis species 428 Cephalosporium species 356 Hymenogaster species 104, 112 Vibrissea, sections of 733 Khanna, Asha, M. M. Payak, and S. C. Mehta. Teliospore morphology of some smut fungi. I. Electron microscopy 562

Kimbrough, James W. The structure and development of Trichobolus zukalii 289

Koevenig, J. L., and R. C. Jackson. Plasmodial mitoses and polyploidy in the myxomycete Physarum polycephalum 662

Kohlmeyer, Jan. Ascospore morphology in Corollospora 281

_____, and Erika Kohlmeyer. Icones fungorum maris; review 345 _____, and _____. Synoptic plates of

higher marine fungi; review 344
Korf, Richard P. See Sánchez and
Korf 722

Kowalski, Donald T. A new species of Lamproderma from California 808

— See Brooks and Kowalski 169 Kuehner, Calvin C., and George Mitrovich. Photosensitization of Saccharomyces carlsbergensis by rose bengal 412

Kyker, G. C. See Johnson and Kyker 91

Laboulbeniales 478

Laboulbeniomycetes 263, 264
Lagenidium in the marine diatom Coscinodiscus centralis 131

Larsen, Michael J. Tomentella and related genera in North America II. Studies of nomenclatural types of species described by Peck 597

Lazo, Waldo R. Notes and illustrations of Myxomycetes from Chile and other countries 67

 Lentz, Paul L. Dactylaria in relation to the conservation of Dactylium 965
 Le Tourneau, Duane. Trehalose and acyclic polyols in sclerotia of Sclerotinia sclerotiorum 934

Lewis, Billy. See Fuller et al. 313 Lewis, Harold L., and G. T. Johnson. Intermediates of fatty acid metabolism by Cunninghamella echinulata 136

Li, Yu-Teh. See Bulmer and Li 555 Liberta, Anthony E. Resupinate hymenomycetes from Gaspé and adjacent counties (Canada) I. 927

Lichen reproductive structures in Physcia aipolia 786

Lichens moisture exchange 148

Light, effect on carotenogenesis 671 growth 671 sporangium formation 675 sporulation 671 Lilly, V. G. See Barnett and Lilly 585 Lilly, Virgil Greene. [Review of] Annual review of phytopathology. phytopathology. Volume 3, 504

See Wenger and Lilly 671 Linkage group I of Nannizzia incurvata 580

Loculascomycetes 259 Lombard, Frances F., and Robert L. Gilbertson. Poria luteoalba and some related species in North

America 827 Long smut 184

Long, Terrill J. Carbon dioxide effect in the mushroom Collybia velutipes

Lophomerum, a new genus of Hypodermataceae 275

Lowry, Robert J., and Alfred S. Sussman. Intra-hyphal hyphae in "clock" mutants of Neurospora 541 man. Lukezic, F. L. See Kaiser and Lukezic 397

Macrae, Ruth, and Kiyowo Aoshima. Hirschioporus [Lenzites] laricinus and its synonyms: L. abietis, L. ambigua, L. pinicola 912

Maeda, Kenji. Streptomyces products

inhibiting mycobacteria; review 339 Magasi, L. P. See Ouellette and Magasi 275

Mahdi, M. T. See Ragab and Madhi 184

Manganese requirements and deficiency symptoms of some fungi 585

Mannitol in sclerotia 938 Marine fungi 254, 281, 313, 373

McDonald, James C. See Peterson and McDonald 962

McManus, Mary Annunciata. tion on agar and study of the plasmodia of Licea biforis, Licea varia-bilis, and Cribraria violacea 479

Mechanism of cerium uptake by Saccharomyces cerevisiae 91 Media, mineral base 682

Medical mycology 645, 648, 659 Mehta, S. C. See Khanna et al. 562 Meiosis in Calvatia 555

Merosporangium 1 Merrill, W. [Review of] Fungi of pulp and paper in New York 505

, and D. W. French. Decay in wood and wood fiber products by Sporotrichum pruinosum 592

Methods Holding rack for Ryan growth tubes 642

Cellophane tape-cover glass technique 655

Tape-cover glass technique 655

Mexico

mycorrhizal fungi 647 rust fungi 336 soil fungi 647

Microelement requirements 585

Miller, Orson F., Jr. A new w species of Chroogomphus 855 western Mitochondria 250

Mitoses in Physarum 662

Mitrovich, George. See Kuehner and Mitrovich 412

Moisture exchange between the atmos-phere and some lichens of the genus Cladonia 148

Monkey, mycoflora of intestines 659

Monoecious ascomycetes 256

Monoecism 257

Morphology and cytology of Diplocarpon maculatum on Crataegus. The Entomosporium stage 949

Morphology, intra-hyphal hyphae 542 Morphology of

Cryptomycina pteridis 752 Physcia aipolia 786

Pycnidiophora and Pseudeurotium 650

teliospore of smut fungi 562 Torula 614

Motility lack of 250

Mucor luteus from a Wisconsin soil 173 Mushroom poisoning, Amanita panthe-

rina complex 961 Mutants, clock 541 Mutation, spontaneous 570

Mycelium seed-borne 186

Mycetoma 406

Mycetozoa, new genus 966

Mycoflora of the intestinal contents of the vervet monkey 659 Mycologia-financial report 988

Mycological English-Latin glossary; review 983

Mycoparasites biotrophic 518

haustorium-producing 518 Mycoparasitism of Dispira simplex and D. parvispora 518

Mycorrhizae 647

Mycotoxins in foodstuffs; review 502 Myxobacterial genus Angiococcus 962

Myxomycete genetics 743 Mycomycetes

California 169 Chile 67

cultivation on agar 479 illustrations 67

plasmodia 479

Names of antibiotics; notice 507

Narasimhan, M. J., and M. J. Thirumalachar. Alternation of generations and heteroecism in Uromyces clignyi 456

Needle-cast fungus 192

Negru, A., and I. Popescu. Some recent mycological discoveries in the Babadag forests of Rumania 812

Nelson, R. R. The genetic control of conidial morphology and arrangement in Cochliobolus carbonum 208 New heterothallic species of Sordaria

from Ceylon 524

New records of North American rust fungi 971

New species of

Chaetomium from South African soil 846

Didymium from California 169 Lamproderma from California 808 Leptolegniella 905 Leptosphaeria, an etiologic agent of

mycetoma 406
rust fungi from Mexico 336
Thampidium from Death Valle

Thamnidium from Death Valley, California 797 New two-spored species of Cavostelium

(Protostelida) 440 New western species of Chroogomphus

Nitrogen utilization by Rhizopus oligo-

sporus 681 Nomenclatural types of Tomentella 597 Nomenclature, Dactylaria and Dactylium 965

North America, new records of resupinate hymenomycetes 930

North American Porias 827 rust fungi, new records 971 species of Crepidotus; review 668 Tomentellas 597

Note

on Psiloboletinus 332 orthographic 970

Notes and brief articles 157, 319, 456, 641, 802, 961

Notes and illustrations of Myxomycetes from Chile and other countries 67 Notes on

clavarioid fungi. V. Emendations and additions to Ramariopsis 201

the conidial stage of Hypoxylon fuscum 459

Dendrogaster, Gymnoglossum, Protoglossum and species of Hymenogaster 100 Hypoxylon grenadense var. macrospora from Washington State 978

Suillus 469 Notice 349, 507

Nuclear cycle in protosexual yeasts 943 Nuclei 250

Observations on

an occurrence of Leptomitus lacteus in Wisconsin 976 Urosporella 690

Occurrence of

Microsporum gypseum in Thailand soils 648

Pythium sp. on the marine alga Porphyra 313

Occurrence, sporulation and pathogenicity studies with Glomerella cingulata associated with crown rot of boxed bananas 397

Olive, L. S. Sexual dimorphism in the Laboulbeniales 478

—, and Carmen Stoianovitch. Protosteliopsis, a new genus of the Proteostelida 452 Plive, Lindsay S. See Reinhardt and

Olive, Lindsay Olive 966

------, and Carmen Stoianovitch. A new two-spored species of Cavostelium (Protostelida) 440

Ontogeny of the needle cast fungus, Hypodermella arcuata 192

Orthographic note 970

Ostropales 731 Otčenášek, M. See Dvořák et al. 645 Ouellette, G. B. Thyriopsis halepensis and its conidial stage 325

—, and L. P. Magasi. Lophomerum, a new genus of Hypodermataceae 275

Ovoid sporangiospores in Absidia 761

Page, Robert M. [Review of] Spore liberation 986

Pant, D. C. See Tewari and Pant 57 Parasexuality 262

Parasexuality 202
Pathogenicity of Glomerella cingulata
397

Patil, B. V. See Thirumalachar et al. 391

Payak, M. M. See Khanna et al. 562 Peanut mycoflora 629

Peck, Charles H. Types of Tomentella 597

Perforate septa 252 Perithecia, effect of

erithecia, effect of periodic drying 401 periodic wetting 401 temperature 401 Petersen, Ronald H. Notes on clava-V. Emendation and rioid fungi.

additions to Ramariopsis 201
Peterson, J. E., and James C. McDonald. The demise of the myxobac-

terial genus Angiococcus 962 Peterson, Roger S. Cronartium mycelium parasitizing gymnosperm and angiosperm tissues simultaneously

Pharmacological basis of therapeutics: review 984

Phomopsis acerina on Norway maple 325 Phosphatase in Calvatia 559

Photosensitization of Saccharomyces carlsbergensis by rose bengal 412

Physiology 585 of Candida 549

of endoconidium-forming fungi 622 Pigment, brown plasmodial 743

Pigments of Syzygites 673
Pirone, P. P., and J. C. Carter. Phomopsis acerina on Norway maple

Pit connections 252

Plasmodia 479 Plasmodial compatibility in heterothallic and homothallic isolates of Didy-

mium iridis 362 Plasmodial mitoses and polyploidy in the myxomycete Physarum polycephalum 662

Plasmodial pigment, inheritance 743 Pleistocene fungus from South Carolina 483

Poisoning, Amanita pantherina complex 961

Polycetylene production 270 Polyploidy in Physarum 662

Polyols in sclerotia 934 Polyporaceae from Trinidad and To-

bago. I. 862 Pomerleau, R. [Review of] North American species of Crepidotus 668 Popescu, I. See Negru and Popescu 812 Poria luteoalba and some related spe-

cies in North America 827 Preliminary studies of a hypha-forming mutant of Cryptococcus neoformans 383

Preparation of microscopic slide mounts 655

Primitive ascomycete: a new look at an old problem 249

Production of carbonyl compounds by several species of endoconidiumforming fungi 622

Prokopič, J. See Dvořák et al. 645 Protosexual yeasts, nuclear cycle 943 Protostelida 440

new genus 453

Protosteliopsis, a new genus of the Protestelida 453

Protozoa 83 Clithidia fasciculata Euglena gracilis Ochromonas malhamensis Tetrahymena pyriformis

Trichomonas faetus Puccinia lobata on hollyhock in Illinois 804

Pyrenomycetes 256

Ouinard, Rodolfo Salinas. See Trappe and Quinard 647

Raabe, Robert D., and Floyd F. Hendrix, Jr. Sclerotinia blight of Gloxinia 161

Ragab, M. A., and M. T. Mahdi. Studies on Tolyposporium ehrenbergii, the cause of long smut of Sorghum

in Egypt (U.A.R.) 184
Raper, John R. [Review of] The fungi:
an advanced treatise. Vol. I. 497

Raper, Kenneth B., and Dorothy I. Fennell. The genus Aspergillus; review 500

Reinhardt, Donald J., and Lindsay S. Olive. Echinosteliopsis, genus of the mycetozoa 966

Reitz, Rosetta. Mushroom cookery; review 339 Resupinate hymenomycetes

from Gaspé and adjacent counties (Canada) I. 927 new North American records 930

Review of the grass rust fungi that have uredial paraphyses and aecia on Berberis-Mahonia 702

Reviews 339, 497, 668, 983 Rhodophyta 249, 263

Reid, James, and A. Funk. The genus Atropellis, and a new genus of the Helotiales associated with branch cankers of western hemlock 417

See Britton and Rogers, Donald P. Rogers 804

Rogers, Jack D. Notes on the conidial stage of Hypoxylon fuscum 459

Notes on Hypoxylon grenadense var. macrospora from Washington State 978

Rose bengal

cause of photosensitization 412 Rozella marina in Chytridium polysiphoniae from Icelandic waters 490

Rudolph, Emanuel D., and Robert M. Giesy. Electron microscope studies of lichen reproductive structures in Physcia aipolia 786

Rumania, fungi from Babadag forests, 812

Rust fungi 336

new North American records 971 on grasses with aecia on Berberis-Mahonia 702

with uredial paraphyses on grasses 702

Ryan growth tubes, holding rack for 641

Sánchez, Apolinar, and Richard P.
Korf. The genus Vibrissea, and
the generic names Leptosporium,
Apostemium, Apostemidium, Gorgoniceps and Ophiogloea 722
Scharpf, Robert F., and Frank G.

Scharpf, Robert F., and Frank G. Hawksworth. Hosts and distribution of Uredo phoradendri 811

Sclerotia

acyclic polyols in 934 polyols in 934

trehalose in 934 Sclerotinia blight of Gloxinia 161

Secondary pits 252

Seed-borne mycelium 186

Segregation of sex in the progeny of a selfed heterozygote of Achlya bisexualis 802

Selfed heterozygote in Achlya bisexualis 802 Sex segregation in Achlya bisexualis

802

Sexual dimorphism in the Laboulbeniales 478

hormone 215

reproduction 253
Shadomy, H. Jean, and John P. Utz.
Preliminary studies on a hyphaforming mutant of Cryptococus neoformans 383

Shaffer, Robert L. On the terms viscid, gelatinous, and ixo— 486

Sharma, S. L. See Sohi and Sharma

Shaw, C. Gardner. See Thyr and Shaw 192

Sherwood, William A. Evidence for a sexual hormone in the water mold Dictyuchus 215

Silva, Margarita. See Weitzman and Silva, 570, 580 Simmons, Emory G. [Review of] Le

Simmons, Emory G. [Review of] L genre Alternaria 340

Singer, Rolf. [Review of] Die unterirdischen Pilze des Karpatenbeckens 985

The type of Boletus amabilis
157
Slide mounts of fungi 655

Smith, Alexander H. A note on Psiloboletinus 332

 Notes on Dendrogaster, Gymnoglossum, Protoglosum and species of Hymenogaster 100

See Hesler and Smith 668
 , and Harry D. Thiers. Further notes on Suillus: the S. granulatus

problem 469 Smut fungi, teliospore morphology 562 Sohi, H. S., and S. L. Sharma. Helicominopsis clematidis causing leaf-

spot of Clematis grata 159 Soil and kernel mycoflora of groundnut fields in Israel 629

Soil fungi, 524, 629, 647, 648, 797 from South Africa 846 Wisconsin 173

Some recent mycological discoveries in the Babadag forests of Rumania 812

Sorenson, W. G., and C. W. Hesseltine. Carbon and nitrogen utilization by Rhizopus oligosporus 681

Sorghum long smut 184 South African soil fungi 846

South Carolina

Pleistocene fungus 483

Species of Absidia with ovoid sporangiospores. I. 761

Spermatia 258

Spontaneous mutation in Nannizzia 570 Sporangiospores, ovoid 761

Sporangiospores, ovoid 701
Sporangium

formation, effect of light on 675 inhibition, action spectrum 676 Spore liberation: review 986

Sporulation Sporulation

effect of light on 671 of Glomerella cingulata 397

States, Jack S., and Martha Christensen. Aspergillus leporis, a new species related to A. flavus 738

Stoianovitch, Carmen. See Olive and Stoianovitch 440, 453

Stowell, E. A., and M. P. Backus. Morphology and cytology of Diplocarpon maculatum on Crataegus. I. The Entomosporium stage 949

Structure and development of Trichobolus zukalii 289

Studies on antitumor substances produced by Basidiomycetes 80

Studies on Tolyposporium ehrenbergii, the cause of long smut of sorghum in Egypt (U.A.R.) 184

Sugar

effect on zygospore production 675 high molar concentrations 675 Sukapure, R. S., and M. J. Thirumala-char. Conspectus of species of Cephalosporium with particular reference to Indian species 351

Sumstine, David Ross biography 175, portrait publications 178

Sussman, Alfred S. See Lowry and Sussman 541

Synaptinemal complexes in Didymium iridis 166

Szemere, László. Die unterirdischen Pilze des Karpatenbeckens; review

Tape-cover glass technique 655 Taylor, Robert L. Occurrence of Microsporum gypseum in Thailand soils 648

Teliospore morphology of some smut fungi. I. Electron microscopy 562

Tempeh 681 Temperature effects on wood decay 594

Terms viscid, gelatinous, and ixo-486 Tetraradiate aquatic fungal spore 43 Tewari, V. P., and D. C. Pant. Ascomycetes of India. I. 57

Thailand soil fungi 648
Thiors, H. D. California boletes. II.
815

See Smith and Thiers 469 Thirumalachar, M. I. See Narasimhan and Thirumalachar 456

See Sukapure and Thirumalachar 351

F. D. Kern, and B. V. Patil. Elateraecium, a new form genus of Uredinales 391

Thompson, Thomas W., and M. P. Backus. Further notes on Pycnidi-Further notes on Pycnidiophora dispersa and Pseudeurotium multisporum 650

Thyr, B. D., and C. Gardner Shaw. Ontogeny of the needle cast fungus, Hypodermella arcuata 192

Thyriopsis halepensis and its conidial stage 322

Tobago fungi of 863 Polyporaceae 862

Trappe, James M., and Rodolfo Salinas Quinard. Cenococcum graniforme in Mexico 647

Trehalose and acyclic polyols in sclerotia of Sclerotinia sclerotiorum 934

Trichogynes 258 Trinidad

fungi of 863 Polyporaceae 862 Tumor-inhibiting basidiomycetes. lation and cultivation in the laboratory 511

Two-celled ascospores 258 Types of Tomentella 597

Ultraviolet mutants 571

Umbelopsis versiformis, a new genus and species of the Imperfects 805 Unterirdischen Pilze des Karpaten-beckens; review 985

Uredial paraphyses of grass rust fungi 702

Uredinales

a new form genus 391 Utz, John P. [Review of] The pharmacological basis of therapeutics 984 See Shadomy and Utz 383

van Warmelo, K. T. New species of Chaetomium from South African soil 846

Variation in the Microsporum gypseum complex. II. A genetic study of spontaneous mutation in Nannizzia incurvata 570

Vervet monkey, mycoflora of intestines 659

Viscid (term) 486

Wang, C. J. K. Annellophores in Torula jeanselmei 614

Fungi of pulp and paper in New York; review 505

Warren, G. H. See Gregory et al. 80 Washington, Hypoxylon grenadense var. macrospora in 978

Water mold 215 George Erdman West (1894-1965); biography 179, portrait

Wehmeyer, L. E. Development of the ascocarp in Cryptomycina pteridis

Weitzman, Irene, and Margarita Silva. Linkage group I of Nannizzia in-curvata 580

and -Variation in the Microsporum gypseum complex. II. A genetic study of spontaneous mutation in Nannizzia incurvata 570

Wenger, Carlton Jay, and Virgil Greene Lilly. The effects of light on carotenogenesis, growth, and sporulation of Syzygites megalocarpus 671

West, Erdman biography 179, portrait publications 182

Western hemlock branch cankers 417

Western species of Chroogomphus 855 Wickerham, Lynferd J. The nuclear cycle in protosexual yeasts 943 Wicklow, Donald T. Mucor luteus

from a Wisconsin soil 173 Wilson, Ronald W., and Everett S.

Beneke. Basidiospore germination of Calvatia gigantea 328

Wisconsin, occurrence of Leptomitus lacteus in 976

Wogan, Gerald N. (ed.). Mycotoxins in foodstuffs; review 502

Wood decay 592

Wood-decaying Ascomycetes and Fungi Imperfecti 642

Wood fiber decay 592 Wright, Jorge E. The genus Phaeotrametes 529

Yeasts cerium uptake 80 protosexual 943

Yerkes, William D., Jr. Observations on an occurrence of Leptomitus lacteus in Wisconsin 976

Zapater, Ricardo C. Introduction al la micologia medica; review 347 Zygomycetes 263, 264

Zygospore production, effect of sugars on 675

FUNGOUS TAXA INDEX

idia 761-785; subg. Mycocladus 783; blakesleeana 765, f 770, 779-784; californica 765, 782; coerulea 764, 765, 767, 775, 782; cuneospora 761, f 763, 765, 767, 775 782, 783; corymbifera 782-784; cristata 779-783; girsan 782, glasson 764, 764 Absidia corymbifera 782-784; cristata 779-783; ginsan 782; glauca 764, 765, 767, 782; hyalospora f 770, 777-784; japonica 773, 775; lichtheimi 634, 783; merdaria 779, 783; orchidis 521; parricida f 763, 771, 773, 784; ramosa 783, 784; repens, 765, f 770, 773-777, 782, 784; verticillata 768-772, 783; zychae f 763, 768, 784
Acephalis 7; radiata 7
Achlya 217, 219, 309; ambisexualis 215, 802, 803; bisexualis 215, 802-804;

802, 803; bisexualis 215, 802–804; flagellata 307, 309

Acrasis rosea 454 Acremoniella 638

Acremonium 644 Acrostaphylus 463, 464, 644, 981; lignicola 464; thelenus 464 Acrotheca 618

Acrothecium delicatulum 635

Actinomyces israelii 83 Actinospora f 44; megalospora f 45, f 49, 50, f 52

Aecidium chlorophyti 459; hartwegiae 458, 459; montanum 708

Aerobacter aerogenes 967

Agaricus 84, 86; abietinus 920; aesculi 867; campestris 511; deplanatus 867; striatus 874

Agrocybe 102, 122; erebia 122 Alatospora f 44; acuminata f 45, 47 Aleurocystidiellum subcruentatum 927, 928

Aleurodiscus amorphus 928; canadensis 927, 928: lividocoeruleus 928 Allomyces macrogynus 677

Allotelium 391, 392 Alternaria 259, 631, 644; fasciculata 635; geophila 635, 638; grisea 635; humicola 635; solani 83, 678, 694, 700; tenuis 586, 587, 635, 638, 694–701, f 697, f 699

Amanita muscaria 962; pantherina 961, 962

Amphinema byssoides 928 Amylostereum chailletii 928

Angiococcus 962–965; cellulosum 962, 963; disciformis 962–964; moliro-seus 963

Anguillospora f 52: longissima f 49 Anixiopsis multispora 654

Antennularia 229, 231; **chusqueae 221**, f 222, f 224, f 225, 226, 229, 234; dubiosa f 228, 229, 231

Anthracobia 261 Aposphaeria violaceae 643

Apostemidium 722-737, 732; decolorans f 729, 730; fiscella 724; guernisacii 727, 729, f 729; norvegicum 729, f 729, 730; obconicum 733; sporogyrum 734

Apostemium 722-737, 732 Arachnopeziza 725

Arcyria 810; cinerea f 69, 76, 663; denudata 67, 76; incarnata 76; insignis 76; punicea 76

Arcyodes incarnata 76

Armillaria 177 Arthrobotrys 644; oligospora 677; superba 635

Arthroderma ciferrii 970

Articulospora f 44, f 52; tetracladia f 45, f 46, 47, 51, f 52

Ascobolus 261, 527, 643; citrinus 303; glaber 303; immersus 303; leveillei 303; magnificus 547; stercorarius 302; viridulus 303; winteri 303

Ascodesmis 290, 302 Ascophanus carneus 303, 304, 547: granuliformis 304

Ascozonus 304

Aspergillus 263, 352, 592, 631, 636, 637, f 657; alliaceus 634, 741; amstelodami 634, 638; avenaceus 741; candidus 634; chevalieri 634; fischeri 634; flavipes 634; flavus 629, 634, 637–639, 738–742; flavus var. columnaris 741; fumigatus 634; leporis 738-742, f 741; melleus 634; nidulans 634; niger 585, 634, 638, 639; panamensis 634; quercinus 634; rugulosus 634; sclerotiorum 634; subolivaceus 741; sulphureus 634; tamarii 634, 741; terreus 634, ustus 634, 638; versicolor 634; wentii 634, 638, 639

Asterella fumagina 234 Asteridium 227, 229; chusqueae 221, f 223, 226, 227

Asterina fumagina 234

Athelia bicolor 928; galzinii 928; neuhoffii 928, 930

Atropellis 417-439, f 420; apiculata 418, 426–429, 432; arizonica 418, 426, 429, 430, 431, 432; pinicola 417, 418, f 420, 426–429; piniphila 418, 419, f 421, 423, 426–432; tingens 418, 426–430; treleasei 417, 418, 426, 427,

Aulographum acicola 322; mugellanum

Auricularia 264

Bacillus anthracis 648; stearothermophilus 553

Badhamia affinis 77; capsulifera 77; gracilis f 74; macrocarpa 77; panicea 77; populina f 75, 77

Basidiobotrys 462, 463

Bifusella faullii 276

Bispora betulina 644; effusa 644

Blastocladiella emersonii 677

Boletellus 819, 820; ananas 820; mirabilis 819, 820; russellii 819, 820

Boletinus , 333; sect. Palustres 334; amabilis 157–159; glandulosus 489 Boletus 84, 87, 514, 820–826; sect. Luridi 825; aesculi-flavae 866, 867; 157-159; appendiculatus amabilis 822; crinitus 883; edulis 80; fibrosus 883; 885; granulatus 470; granulatus var. typicus 473; hydna-tinus 883; hydnoides 881, 885; lakei 159; orovillus f 824, 825; paluster 334; pavonius 898, 899; regius f 817, 821-824; sericeus 894; speciosus 822; ursinus 881, 885; vulpinus 881, Bombardia 260, 261

Botryobasidium isabellinum 611; pruinatum 928; subcoronatum 928; vagum 928

Botryodiplodia theobromae 635

Botryohypochnus isabellinus 928

Botryorhiza hippocrateae 395

Botryotrichum 593 Botrytis f 657; cinerea 162, 635, 768

Bremia lactucae f 657

Caeoma divinum 395

Caldesiella calcicola 600; ferruginosa

600: viridis 601 Caliciopsis 57

Calicium 57

Calochaetis indica 245

Calomyxa metallica 76

Calvatia 80, 87; bovista 80; craniformis 80: cvathiformis 80, 555-561; gigantea 80, 328-332, 514, 559

Calvocephalis 7

f 44; chaetocladia f 45, Campylospora 50, 51, f 52

Candida 386, 387, 549–554, 659; albicans 83, 387, 412, 659–661; f 49, f 53, 54; claussenii 660; guilliermondii 660; pulcherrima 660; stellatoidea 549-

Catenularia 644

Cavostelium 440-452; apophysatum 440, 447, 450; bisporum 440, 441, f 443, f 445, f 447, f 449, 450

Cellularia amanitoides 866; applanata 867; deplanata 867; endophaea 871; glaberrima 868; pallida 867; platy-poda 867; polita 867; repanda 867; striata 874; tenuis 868

Cenangium 419, 422-425; farinaceum 417, 423-427; ferruginosum 425, 427, 436; pinicola 426; piniphilum 417,

418, 430

Cenococcum graniforme 647, 648

Cephalosporium 351-361, 644, 805; acremonium 351, 353, 354, 357, 635; var. cereus 354, 357; var. funiculosum 355, 357; var. majus 355, 357; var. radiatum 355, 357; var. synne-maticum 355, 357; var. uniseptatum 353, 355, 357; aphidicola 351; apii 351, 360; asperum 354-357; caerulens 351; candidum 355, 357; var. arachnoides 355, 357; chrysogenum 354-359; coccorum 351; coremioides 356, 357; curtipes 354, 355, 357, 635; var. uredinicola 355, 357; dieffenbachiae 352; eichhorniae 356, 357; falciforme 351; fici 355, 357; gramineum 351; gregatum 351; incarnatum 355, 356; var. macrospora 355, 357; incoloratum 356, 357; infestans 351, 356, 357; khandalense 356, 357, f 358, 359; lecanii 351, 356–359; longisporum 359; madurae 351, 356, 357; minutisporum 356, 357; pammellii 352; purpurascens 355, 356; recifei 351, 359, recognizionen 355, 357, 635. 359; roseo-griseum 355, 357, 635; roseum 355, 356; var. brevis 355, 356; sacchari 352; serrae 359–361; var. fusca 356, 357, f 358, 360

Ceratiomyxa fruticulosa 67, f72, 76 Ceratobasidium atratum 603

Ceratochaete philippinensis 235 Ceratocystis 261, 262, 626; coerulescens 622–627; dryocoetidis 547; fagace-arum 622, 626, 805; fimbriata 625, 626; f. platani 622, 626; monilifor-mis 622, 625; variospora 622, 625

Cercospora cirsii 814 Ceriospora 693: alabamiensis 690, 691 Ceriosporopsis calyptrata 287; longis-

sima 287 Chaetocladium 2; benjaminii 13, f 17,

Chaetomium 25, 125-130, 518, 522, 585 587, 634, 846–854; arcuatum 852; atrobrunneum 521, 587; aureum 125, 126, f 127, 129, 521, 586, 587; bostrychodes f 520, 521, 586; brasiliense 129, 130, 643; caprinum 125, 126, f 128, 129, 521; cochliodes 521, 586. 643: confusum 846. f 849: 586, 643; contusum 840, 1849; cupreum 850; distortum 847, 850; dolichotrichum 125, 127, f128, 129, 521; elatum 521, 586, 643; erraticum 853; flavigenum 847, f 849; funicolum 521, 643; fusisporum 521. 587; gangligerum 849; globosum 129, 130, 521, 586, 587, f 589, 590, 643; humicolum 849, f 849; indi-545; humicolum 549; hung-cum 521, 643; kunzeanum 547; lentum 850, f 851; lucknowense 852; microcephalum 521; mollipi-lium 521, 587; murorum 125, 126, f 127, 129, 521, 587; ochraceum f 127, 129, 521, 587; ochraceum 521, 587; pachypodioides 521; rubrogenum 851, 852; spirale 521, 587, 643; subspirilliferum 521, 587; succineum 521; tenuissimum 521, 587; terrestre 852; tortile 521, 587; tri-laterale 850; turgidopilosum 521, 587; velutinum 521, 587, 643 Chaetoporellus 827

Chaetoporus 827; luteoalbus 827; variecolor 827

Chaetosphaeria chaetosa 286

Chalara 644

Chamonixia 101-103, 106, 107, 120

Chlamydoabsidia 761; padeni 763, f 763, 782

Chlamydozyma 943-948; pulcherrima 946, 947; reukaufii 947; zygota f 945; 945–947

Chloridium chlamydosporis 644

Choanephora 677; circinans 772; cucur-bitarum 677, 678 Chondrococcus 964

Chondrostereum purpureum 928

Chromosporium 644

Chroogomphus 855-861; sect. Floccigomphus 858; pseudovinicolor 855-

860, f 857, f 859; tomentosus 858; vinicolor 855, 858, f 859, 860 Chytridium lagenula 377; lecithii 43; polysiphoniae 490–494, f 492; versatile f 374, 375, f 376, 377; var. acaulis 375

Ciliaria 795

Circinella 518; spinosa 634 Cladonia 148–156; alpestris 148–153; mitis 148-153; rangiferina 148-153; sylvatica 148-152; uncialis 148-153

Cladosporium 259; herbarum 635, 638, 644

Clasterosporium 485; caricinum 485, 486; flagellatum 485

Clastoderma debarvanum 77, 479-483 Clavaria 201: subg. Ramariopsis 201; crocea 201: luteo-ochracea 205; minutula 202; propera 205; tenuicula 205

Clavariopsis f 44, 47, f 52; aquatica f 45, f 46, 47, f 49, 50, 51

Clavatospora f 44; longibrachiata 47, f 49; tentacula f 45, 51

Claviceps purpurea 940

Clavulinopsis 201–204; subg. Acularia 204; biformis 206; hastula 204; luteo-ochracea 205: minutula 202: rufipes 206; subtilis 203

Clitocybe marmorea 270; truncicola 270 Cochliobolus carbonum 208-214, f 209, f 210

Coemansia 1, 27-35; mojavensis f 30, 33, 34, f 37; spiralis f 33, 34

Cokeromyces recurvatus 23, 518, 521, 522, 722

Coleroa sacchari 245

Collybia 87, 514; radicata 84; velutipes 319-322

Columnocystis abietina 928 Colus schellenbergiae 177

Comatricha elegans 77; nigra f 69, 77; suksdorfii 810; typhoides 68, 77

Coniochaeta ligniaria 700

Coniophora arida 928; olivascens 601; puteana 928

Coniothyrium 643; shoemakeri 812, 814

Coprinus nycthemerus 84, 86, 515

Coprobia granulata 261 Coprotus 304

Cordana musae 398 Corethropsis 644

Coriolopsis 898; occidentalis 894

Coriolus abietinus f. lenzitoidea 912, 913, 924; var. lenzitoidea 912, 913, 924; ambiguus 868; arenicolor 899; corrugatus 887; occidentalis f 873, 893-900; pavonius f 873, 897-901

Corollospora 281-288; comata 281, f 284, 285, 286; cristata 285, 286; lacera 281, f 284, 285–287; maritima 281,

f 282, 283–287; trifurcata 285, 286 ticium 527, 611; confine 928, 930; Corticium 527, 611; confine 928, 930; evolvens 928; exile 928; furfuraceum 928; hydnans 927, 928; rolfsii 84, 515; stellulatum 928; sublaeve 928; submicrosporum 928, 930

Cortinarius 101-103, 109-111; subfoetidus 108

Craterium leucocephalum 68, f 71

Cribbea 101, 124

Cribraria aurantiaca 76; intrincata 68, f 71; macrocarpa 76; piriformis 76; splendens 76; violacea 479-483, f 480, f 482

Cristella 206; alnicola 206; farinacea 206 Cronartium 474–477; comandrae 474, f 475

Crumenula 419; pinicola 417, 418, 419, f 421, 422, 423, 426, 427; sororia 418, 419, f 421, 422, 426 Cryptococcus 659; albidus 660; laurentii

660; luteolus 660; neoformans 383-

390, f 385, f 386 Cryptomycella 759

Cryptomyces 759 Cryptomycina pteridis 752-760, f 755, f 756, f 758

Cubonia 527

Cunninghamella 634; albida 634; bla-kesleeana 634, 772; echinulata 136-147; elegans 521, 634

Curvularia f 657; lunata 635 Cyathus helenae 974; olla 976; pyg-maeus 973–976, f 975; stercoreus 974

Cyclomycetella pavonia 899 Cylindrocarpon didymum 638, 639; radi-

cicola 635 Cystostereum murraii 928

Cytospora 643 Cytosporella 643

Dactylaria 965, 966

Dactylium 964, 966; candidum 965; dendroides 965

Daedalea abietina 920; aesculi 867, 870; amanitoides 866, 870; am-

bigua 868, 870; applanata 867, 870; berkeleyi 871, 873; conchatus 892; deplanata 867, 870; elegans f 865, 866–871, 866; glaberrima 868; indica 867; laevis 866, 870; palisoti 866; elidefully 889, elite 876; palisoti 866; pallidofulva 868; polita 867; repanda 867; rhabarbarina 871, 873; rubicunda 867; sanguinea 887, 891, 892; striata 874; subcongener 895

Daldinia 257, 464; concentrica 462-464 Dasyspora gregaria 971

Dematophora necatrix 227

Dendrogaster 100–104, 104, 105, 107, 112, 122, 123; connectens 103, 104 Diachea elegans 77; leucopodia f 73, 77 Dictydiaethalium plumbeum f 75, 76 Dictydium cancellatum f 72, 76

Dictyuchus 215-220, 907; monosporus 215, f 216, f 218

Diderma antarcticum 78; difforme 78; niveum 78; radiatum f74, 78; simplex 78; spumarioides 68, 78; testaceum 78; trevelyani 78

Didymium 169-173; aurantipes 169-173, f 170, f 171, 808; costatum 78; crustaceum 172; difforme 78; fari-72, dinoline 72, fari-naceum 78; iridis 67, f70, 78, 166– 169, f 167, 172, 362–372, f 363, 743– 751, f 746; labyrinthiforme 172; laxifila 172; megalosporum 169, 172; melanospermum 78; nigripes 78, 371, 665; perforatum 172; squamu-losum 78, 172, 371; xanthopus 743

Digitatispora marina 51, f 53 Digitosporium piniphilum 422

Dilophia magnoliae 692

Dimargaris 37; arida f 37; bacillispora f 24, 25-27, f 33, 37; cristalligena 23-27, f 29; oblongispora 25-27, 37; verticillata f 25, 27, f 29; xerosporica 27, f 20 rica 27, f 29

Dimeriella 234, 244, 245; disseminata 231, 235; dubiosa 229, 231; erysipheoides 231, 238; fumagina 231, f 232, 234, 235; olyrae 231, f 232, 234, 235; pumila 231, f 233; sacchari 245; sasae 245

Dimerina 227; allogena 221, 223, 226, 227, 234; arundinariae 245; bambusicola 234; negeriana 221, 227, 234

Dimerium 244; japonicum 245; oligo-trichum 234; piceum 244, 246; sasae 245, 246

Dimerosporium chusqueae f 242, 243; dubiosum 229; erysipheoides 238. f 240, 243; negerianum 221, 223, f 223, f 224, 226, 227

Diorchidium 338, 392

Diplocarpon maculatum 949-960, f 954, f 956; rosae 953 Diplodia 631, 638, 643 Dipodascus 262 Dipsacomyces 31, 33, 35 Discocainia 432; treleasei 427, 432, f 433, 435, f 436, 437 Dispira 25-27, 518; cornuta 23-27, f 33, 518, 522; parvispora f 37, 518-523, f 520; simplex 25, 518-523, f 520

Dothiclypeolum pinastri 322, 323 Dothidea halepensis 322

Dothioriella 805; berengeriana f. sp. hibisci 812, 813

Dysrhynchis oligotricha 231, f 232, 234,

Earliella corrugata 887; cubensis 890 Echinosteliopsis 966-968-970; oligospora 967-970, f 968, f 969 Echinostelium 966; minutum 479 Ectrogella eurychasmoides 373, 380; licmophorae 373, 378; perforans 373, f 375, f 377, 378–380

Elateraecium 391–394–396; divinum

395; salacicola f 392, f 393, 394 Emericellopsis 352

Emmonsia crescens 645, 646 Encoelia fascicularis 435, 436 Enerthenema 810; papillatum 77 Enteridium antarcticum 76; olivaceum

76; rozeanum 76; splendens 76 Entomosporium 949–960; brachiatum pili 950, 958; thuemenii 949, 950, 958; mes-958 949; maculatum 949, 950, 958; mes-

Eccronartium 264 Epicoccum nigrum f 657 Epipolaeum 238, 243; disseminatum 231, 235, f 236, f 237; erysipheoides

231, 238, f 240 Episphaerella 244; chusqueae f 242, 243-245

Epitea baryi 703; brachypodii 703 Eriosphaeria sacchari 245 Escherichia coli 553, 967 Eudimeriolum 227, 244

Favolus subrigidus 890, 892; variegatus

Flavobacterium 967, 970 Fomes annosus 587; gourliaei 894; scabrosus 887; tostus 889 Fomitopsis corrugata 887

Frommea obtusa 494-496, f 495 Fuligo cinerea 663; septica 68, f 73, 77 Fusarium 263, 352, 631, 637, 638; aquae-

ductum 677; compactum 638; equiseti 635, 638; oxysporum 83, 635, 638, 639; semitectum 635; solani 635, 638, 639, 645

Fuscoboletinus 334, 335; aeruginascens 335; glandulosos 335; grisellus 335; paluster 335; weaverae 486, 489 Fusidium 259

Ganoderma 533; lucidum 325 Gautieria 101, 102, 109, 119, 120 Gelasinospora 6, 262, 794 Geniculosporium 463; serpens 463 Geotrichum 659, 660 Gibbera 229, 231

Gibberidea visci 812 Gliocladium roseum 587, 635, 644, 805; vermoeseni 635

Gloecystidiellum furfuraceum 928, 930; karstenii 928; ochraceum 928; porosum 928

Gleophyllum 876; abietinum 875, 913, 915, f 917, 919-924, f 923; berkeleyi 871-874, f 873; pallidofulvum 868; sepiarium 873; striatum f 873, 874-876; subferrugineum 875, 876

Gloeosporium 398, 404; musarum 397 Glomerella 398; cingulata 397–405, f 402, 586

Godronia 418, 419, 422, 426; pinicola 418, 427; ribis 422; sororia 418, 426; treleasei 427, 432; zelleri 418, 429

Gonatobotrys simplex 587-590 Gonatobotryum fuscum 519 Gongronella 761; butleri 767, 775, 782; lacrispora 767, 782

Gonytrichum macrocladum 635 Gorgoniceps 722-737; subg. Apostemi-dium 732; aridula 725

Grandinia coriaria 597, f 599, 600, 601; farinacea 206, 928; rudis 601; virescens 601

Graphium digidum 644 Grifolia sumstineii 177 Grovesia 434, 435; pulchella 434, 435 Gymnoascus 290

Gymnoglossum 100-104; areolatum 109, 124; reticulatum 124; stipitatum 122; viscidum 105, 124

Gymnosporangium 477 Gymnomyces 103 Gyrophora dillenii 153

Haematostereum rugosum 928; sanguinolentum 928 Halosphaeria appendiculata 287; medio-

setigera 287; quadricornuta 53, f 53 Hansenula 946; petersonii 947

Hapalophragium 338 Haplosporangium parvum 645, 646 Helicobasidium 264

Helicominopsis f 160; fici 161 clematidis 159-161.

Helicomyces f 52

Helicosporium aureum 644

Helminthosporium sativum 700; sigmoidium 83; spiciferum 644; tetramera 635, 638; turcicum 700

Helotium brunneolum 62; vibrisseoides 730

Hemitrichia clavata 77; serpula f 75, 77; stipitata 68, f 70, 77

Hericium erinaceum 85-87 Herpobasidium 264

Herpomyces paranensis 478

Herpotrichia 243 Heterosphaeria 435

Hexagona 880; aculeata 879; apiaria 885, 892; capillacea 880; cruenta 889, 892; decipiens 531, 532, 538;

hirta 885; papyracea 876–881, f 877; picta 890, 892; pulchella 879; scuti-gera 878, 880, 881; subrigida 890; tenuis 880; variegata 876, f 877, 879-881

Higginsia hiemalis 953

Hirschioporus 912-926; abietinus 912, 915, 922; abietinus ssp. abietis 925; abietis 912, 913, 925; fusco-violaceus 912, 922; fusco-violaceus f. lenzitoideus 913, 924; laricinus 912-926; laricis 912, 913

Hormodendrum 618, 639; cladosporioides 635, 638; hordei 635, 638; nigrescens 635; olivaceum 635; pallidum 635, 638; viride 635

Humaria callosa 60; foliicola 60; insignispora 61, subhepatica 60, 61

Humicola grisea 635

Hvalinia 65

Hydnum caput-ursi 86; epiphyllum 606; erinaceum 84

Hygrophorus paludosus 489

Hymenogaster 100-124; subg. Dendrogaster 104-112; subg. Hymenogaster 112-124; sect. Leves 119; albelter 112-124; sect. Leves 119; albel-lus 114; alnicola 113; areolatus 104, 109; boozeri 113, 114; brun-nescens 102, 105, 111; cribbiae 104, 105; diabolus 104, 107; fari-naceus 113, 115; gardneri 113, 116; gilkeyae 113, 116; idahoensis 104, 105; mcmurphyi 112, 117; minimus 123; mutabilis 115; **nigrescens** 113, 117; occidentalis 113, 118; pachydermis 113, 118; parksii 113, 119; pyriformis 113, 119; remyi 122, 123; ruber 104, 106; subalpinus 113, 120; subborealis 105, 111; subcaeruleus 104, 106; sublilacinus 104, 108, 123; subochraceus 105, 110; subolivaceus 105, 108, 109; viscidus 105, 113, 121, 122

Hyphoderma argillaceum 928; clavi-gerum 928; polonense 928; rose-ocremeum 928; tenue 928

Hyphodontia alienata 928; crustosa 928; floccosa 929; pallidula 929; sambuci 929; subalutacea 929

Hypochnus 606; epiphyllus 606 rubigi-nosus 609; subviolaceus 601, f 602, 602

Hypocrea 259

Hypoderma robustum 276

Hypodermella arcuata 192-200, f 193. f 195, f 196; mirabilis 276

Hypomyces 263

Hypoxylon 611; sect. Applanata 978; annulatum 462; argillaceum 463; atropunctatum 462, 464; confluens 463; fuscum 459–465, f 460, 981; 403; Iuscum 499-403, 1400, 961; grenadense 982; var. macrospora 978-982, f 980; howeianum 462; mammatum 462; pruinatum 462; punctulatum 462, 586-590, f 589; rubiginosum 463, 464; serpens 463; tinctor 462; truncatum 462; uniapiculatum 978, 981, 982

Hysterangium 106

Ingoldia craginiformis f 49, 50 Irpex cartilagineus 532, 538; consors 84, 515; flavus 84–88, 514, 515; fusco-violaceus var. lenzitoides 924; maximus 897 Isaria acaricida f 223, f 224, 226, 227

Kickxella 29, 31; alabastrina f 30, 35 Kloeckera brevis 83

Lachnobolus incarnatus 76 Lactarius sumstineii 177 Laeticorticium pini 929

Laeticorticium pini 929 Lagenidium 131–135, f132; closterii 133; cyclotellae 131; destruens 133, 134; distylae 134; oophilum 133, 134 Lambertella 62, 63; brunneola 62, f 63; copticola 62; viburni 62

Lamproderma 808-810; columbinum 68,

f 70: fusiforme 808-810, f 809 Lampteromyces japonica 80 Lasiobolus 304; equinus 304 Lembosia acicola 323

Lemonniera f 44, 50; aquatica f 45, 49,

Lentinus lepideus 84; 515

Lenzites 876; abietina 913, 915, 920; abietis 912-926, f 914, f 918; f. lenzitoidea 913; alborepanda 868; amanitoides 866; ambigua 912-926, f 917, f 921; applanata 867; berkeleyi 871; deplanata 867; elegans 866; endo-phaea 862, 871–874; glaberrima 868; laricina 912, 913, f 914, 915, f 918,

919-924; palisoti 866, 870, 871; palpinicola 912-926, f 914, lida 867 f 921; platypoda 867; polita 867; repanda 867, 870, 871; saepiaria 84, 515; striata *874*; tenuis *868*; trabea 84, 515, 592, 595

Leocarpus fragilis 78

Leptographium lundbergii 618, f 619

Leptolegnia 907

otolegniella 905–911; **exoosporus** f 906, f 908, **909**–911; keratinophilum 905–910, f 910, 911; piligena 905, 909 Leptolegniella

Leptomitus lacteus 976–978 Leptosphaeria 257, 263, 406–411; rubro-tincta 812; senegalensis 406; f 408, 410, 411; tompkinsii f 407, f 408, 409-411

Leptosporium 722-732-737; tremellinum 723, 732

Licea antarctica 78; biforis 479-483, f 480; flexuosa 76; parasitica 481; schoenleinii 76; variabilis 76, 479-

Linderina 31-35; pennispora 1, f 31, f 33 Lojkania 243; cynodonifolii 238, 241, f 241, 243

Lophodermina septata 278, 279

Lophodermium 275, 278; agharkarii 279, 280; autumnale 275, 278; macro-sporum 278; pinastri 198; septatum 275, 278, 279

Lophomerum 275-280; autumnale 275, 276; darkeri 276-278, f 277; septatum 279, 280

Lunulospora curvula f 52

Lycogala epidendrum f 72, 76; miniatum

Lycoperdon curtisii 555; marginatum 555; perlatum 555; pusillum 555

Margarinomyces heteromorpha 614-616; var. robusta 618 Margarita metallica 76

Martellia 101, 103

Martensella 29-35, 38; pectinata 31

Martensiomyces 31–35 Melanospora 527; chionea 634 Meliola 245; oligotricha 234; panici 244 Merulius niveus 84–86, 515; serpens 929; striatus 874; tremellosus 929

Metacoleroa 231 Metschnikowia 946; bicuspidata 946

Microascus intermedius 634 Microcephalis 7

Microporus arenicolor 899: cristulatus 899; cyclodes 899; illotus 895; indecorus 887; lanatus 894; lenis 894; moselei 889; occidentalis 894; pavonius 899; persoonii 889; scorteus 894; ursinus 881; veluticeps 899

Microsporum cookei 970; gypseum 570-582, 648-650, f 649

Microthyrium anceps 323

Monascus purpureus 520, 521 Monilinia fructicola 587, 700 Monocephalis 7

Monosporium olivaceum 644

Morchella 262, 643; crassipes 585; hor-tensis 84, 515

Mortierella 634, 781; zychae 773 Mucidula radicata 515

Mucilago spongiosa 67
Mucor 2, 518, f 520, 637, 797; caninus 772; hiemalis 173, 521, 522, 677; luteus 173; mucedo 215; plumbeus 634, 772; racemosus 634; ramannianus 465; rouxii 521
Mycocalicium 57–59; chaudharii 58,

f 59

Mycosphaerella 257–260; musicola 398; tulipiferae 258

Mycotypha microspora 521, 772 Myocladus verticillatus 768

Myrothecium roridum 635; verrucaria 635, 645

Myxococcus 964; disciformis 962, 963 Myzocytium 134

Nannizzia cajetana 970; cajetani 971; fulva 578, 583; gypsea 578, 583; var. fulva 583; var. gypsea 583; var. incurvata 583; incurvata 570-584, f 577

Nectria 259 Neocosmospora vasinfecta 586, 587, 590, 634

Neohoehnelia oligotricha 235 Neovossia 562; indica 562, f 565

Neurospora 6, 257–263, 371, 372, 541– 548; crassa 258, 541–548, f 542, f 543, f 544, f 546, 583; sitophila 583

Nidularia 84, 86 Nocardia asteroides 83

Nodulisporium 463, 464, 981; thelenum

Octospora 60-63; insignispora f 59, 61, f 64; kanousae f 59, **60**, f 64 Ophiogloea 722–732–737; linospora 725,

730, 732

Orbicula 642; parietina 642 Orbilia 63–65; sarraziniana 63 Ostropa 731

Paecilomyces flavescens 635 Papulaspora 527

Parmelia 154

Parodiopsis pilosa 229, 230

Paullicorticium delicatissimum 929; pearsonii 929

Penicillium 83, 263, 352, 592, 631, 634-639, 644; atramentosum 638; chrysogenum 940; claviforme 634; decumbens 638; egyptiacum 634; expansum 627; fellutanum 638; frequentans 638; funiculosum 634, 638, 639; glaucum 627; jenseni 638; lanosum 638; lilacinum 634; purpurogenum 638; rubrum 638, 639

Peniophora 611; affinis 929; aurantiaca 929; carnosa 929; cinerea 929; coccineo-fulva 929; cremea 929; dryina 929; gigantea 929; incarnata 929; livida 929; longispora 929; nivea 929; nuda 929; pithya 929; polygonia 929; pubera 929; romellii 929; rufa 927, 929; sanguinea 929; velutina 929; violaceo-livida 929

Perichaena chrysosperma 68, f 74; corticalis 76; populina 76

Periconia 644

Peridermium 391; filamentosum 474–477 Peritrichospora integra 285

Pertusaria 794

Pestalotia 635, 643; funerea 643 Peziza 643, 724; sect. Apostemium 732, 733; aridula 724; farinacea f 421, 423-425-427; caespitosa 423; fibro-

sum 425; fiscella 724, 732; pinicola 423-427; var. pinicola 425 Phacidium curtisii 198; fibrosum 425

Phaeodimeriella 244; chusqueae 243, 244 Phaeangella ulicis 436

Phaeoisaria 644

Phaeotrametes 529–540; decipiens f 531, 532, f 534, f 536

Phialophora 614, 618, 620, 644; compactum 618; fastigiata 644; gougerotii 620; jeanselmei 614-616, 620; pedrosoi 618; richardsiae 644

Phlebia hydnoides 929; livida 929; phlebioides 929; subserialis 929

Pholiota formosa 84, 86, 515 Phoma 635, 643; conidiigena 967; gi

Phoma 635, 643; conidigena 967; glomerata 635, 643; hibernica 635; pigmentivora 643

Phomopsis 325; **acerina** 325-**327**, f 326, f 327, 328; lebiseyi 328; platanoidis 328; pustulata 328

Phragmopyxis noelii 971

Phycomyces blakesleeanus 585, 587, 677 Phyllachora 759; **stewartii** 812, **813**, f 813

Phyllachorella 257

Phylloporus 333, 335; lariceti 335 Phymatotrichum omnivorum 940

Physarella oblonga 743

Physarum bethelii 77; bivalve 77; brunneolum 77; capitatum 78; cinereum 78; compressum 67, f 71, 78; dictyospermum 78; flavicomum 78; globuliferum 78; gyrosum 663, 665, 744; lateritium 78; leucophaeum 78; nutans 78; ovisporum 78; penetrale 78; polycephalum 371, 662-667, f 664, 744; psittacinum 78; sinuosum 77; straminipes 78; viride f 69, 78

Physcia aipolia 786-796, f 787, f 789,

f 790, f 792, f 793 Physisporus flavicans 833; luteoalbus 828; variecolor 827, 833

Physonema minimum 705

Phytophthora 307, 309; cactorum 310;

Pilaira anomala 772 Pileolaria 336

Pilobolus 2

Priotocolus 2, 3, 7, 9, 12–27, 37, 38, 518, 522; arrhiza 13, f 14, 17; benjamini 13, f 17, 21, f 22; cylindrospora 13, 15, f 15, f 19, 20, 21, f 36; debaryana 13; freseniana 2, 13; indica 13, 15, 17, f 17, f 19, 20; lepidula f 16, 17, 20, f 22, 27, 37; macrospora 20; microcephala 13, f 15; monospora 21; tieghemiana 15, f 15, 20, f 22; unispora f 17, 23, f 23; virginiana 15–20, 518; xenophila 7, 13, 518

Pirella 761 Piricauda 644 Placostroma 257

Pleurotus 86; elongatipes 270; passeckerianus 515

Podospora 261, 263; anserina 258 Pogonomyces hydnoides 881–887 f

Pogonomyces hydnoides 881-887, f 882 Polyporus 85-88, 885; abietinus 913: var. abietis 925; aesculi 867; alboluteus 890; arenicolor 899, aruensis 889; badiolutescens 895 contiguus 840; corrugatus 887, 890; crinitus 883; cristulatus 899; deceptivus 531; decipiens 531, 538; discifer 892; distortus 84, 515; euporus 834; fagicolus 177; feather-manni 883; fuscobadius 887; giganteus 177; gourliaei 894; helleri 892; hydnatinus 883; hydnoides 881, 883; illotus 895; indecorus 887; iodinus 900; lanatus 894; lenis 894; marianus 892; obtusus 84, 515; occidentalis 893, 895; pavonius 898; pellitus 883; pennsylvanicus 177; perparadoxus 532; persoonii 889, 891; platypilus 892; rixosus 840; sanguineus 892; scabrosus 887; scutiger 876; tegularis 889; tostus 888; ursinus 881; veluticeps 889; verru-coso-hirtus 883; versicolor 592;

villosus 900; vulpinus 883 Polystictus 892, 898; alboluteus 890; arenicolor 899; cristulatus 899; cubensis 890; cyclodes 899, 900; var. homoporus 894; decipiens 531; extensus 895; formosae 890; hydnoides 881; illotus 895; indecorus 887; lanatus 894; lenis 894; malachodermus 895; moselei 889; occidentalis 894; pavonius 899; perparadoxus 538; persoonii 889; pinsitus 901; rufocinerescens 890; scalaris 894; scorteus 894; subcongener 895; substrigosus 895; tostus 889; ursinus 881; veluticeps 899

Poria 827–845; ambigua 827; calcea var. xantha 833; corticola 84–89, 514, 515, 827; eupora 827, f829, f831, 832, 834–839, f837, f841, 843; lenis 833; luteoalba 827–845, f829,

lenis 833; luteoalba 827–845, f 829, f 831, f 837, f 841; pearsonii 827; perparadoxa 529, 532, 538; radula 827; rixosa 827, f 829, f 831, 832, 834, f 837, 839–843, f 841; sinuascens 833; subacida 514, 515; sumstineii 177; xantha 85, 86, 515, 833

Protosteliopsis 452–455; fimicola f 453, 454, 455

Protostelium fimicolum 452, 454; mycophaga 452

Pseudeurotium multisporum 650–655; ovale 654; zonatum 654 Pseudocolus 177

Pseudochydnum gelatinosum 487 Pseudophacidium decorticans 425–427 Psiloboletinus 332–336; lariceti 335 Psilocybe 103

Psilocyle 103

Psilocyle 103

Psilocyle 104

Psilocyle 104

Psilocyle 105

Psiloc

rhenatheri 709; poae-nemoralis 702, 706, 708; ssp. hypartica 709, 710; poae-sudeticae 702, 706; poarum 702; pygmaea 702, 714, 717, 719; var. ammophilina f712, 714; var. angusta f712, 715; var. chisosana 719; var. major f715, 716; var. minor f712, 714; var. pygmaea 711, f712, 719; spicaeventi 709; sporoboli 496; variolans 496; xanthii 496; zinniae 972

Pulveroboletus 333 Punctularia strigosozonata 929 Pycnidiophora dispersa 650–655; multi-

spora f 653, 654 Pyronema 263 Pythiomorpha gonapodyides 585 Pythium 307–309, 313–318, f 314; aphanidermatum 307–312; debaryanum 265

Radiomyces spectabilis f 466 Ramaria 206

Ramaricium 206 Ramariopsis 201-207; biformis 204; crocea 204; kunzei 201, 204; lignicola 201, f 202, 204; luteo-ochracea 204, 205, 206; minutula 202-204, f 203; rufipes 204

Ravenelia **corbula 336**, f 337; mainsiana 972; parahybana 336; rubra 973; stevensii 793

Repetobasidium mirificum 929, 931; vile 929

Reticularia lycoperdon 68, 76, 664 Rhinotrichum 593; noblesiae 117; sumstineii 177

Rhizoctonia 631, 635, 638 Rhizophlyctis rosea 677, 963 Rhizopogon 101–105, 112; sect. Fulviglebae 121

Rhizopus 309, 412, 631, 637, 681, 687, 769; javanicus 265; nigricans 634, 681; nodosus 634; oligosporus 681–689, 773; oryzae 634, 638, 639, 681; stolonifer 307, 309

Rhodotorula 659, 660; mucilaginosa var. sanguinea 328

Rhytisma salicina 759

Robergea 731

Robillarda f 52, 53; phragmitis 53, f 53 Rosellinia 464; necatrix 227; thelena 464 Rozella marina 490–494, f 492 Ryparobius 304

Saccharomyces 262, 659, 660; carlsbergensis 412–416; cerevisiae 83, 91–99, 412, 677

Saksenea vasiformis 634 Saprolegnia 907 Sarcotrochila piniperda 278 Sarea filisporia 723, 732

Scenidium cruentum 889; papyraceum 876; pictum 890; variegatum 876; wightii 892

Schizophyllum 85; commune 321 Schizoplasmodium 451, 452, 455; ova-

tum 455 Schizoxylon 731

Scindalma gourliaei 894; scabrosum 887; tostum 889

Scleroderris 419, 426; bacillifera 423; lagerbergii 422; treleasei 418, 427, 432, 434

Sclerotinia 263; libertiana 934, 940; sclerotiorum 161–166, f 163, f 657, 934–942; trifoliorum 934 Sclerotium 527, 631, 635, 645; rolfsii 181, 587

Scytinostroma galactinum 929 Septobasidium 264

Septolpidium lineare f 376, 380, 381 Serpula lacrimans 929

Sesia berkeleyi 871; pallidofulva 868; striata 874

Sirolpidium 134; zoophthorum 134 Sistotrema brinkmanni 929; confluens 929; cryptarum 892; diademifera 929; hirshii 929

Sistotremastrum suecicum 929 Sordaria 257–263, 524–528, 643; brevi-collis 526, 527; fimicola 527, 587, 686, heterothallis 526; sclerogenia 524, f 525

Sphaerobasidium minutum 929, subinvisibile 929, f 931, 931

Sphaeronaema 635 Sphaeropsis staphyleae 814

Sphaerotilus 977 Spicaria 592; violacea 144 Spinalia 25; radians 23, 25

Spirodactylon 31-35

Spiromyces 31-34; minutus f 31, f 33, 33, 35

Sporodinia grandis 671 Sporormia 259; leporina 258

Sporotrichum 593, 654; gougeroti 620; pruinosum 592-596

Spumula 338; heteromorpha 337, f 337 Squamanita 177

Stachybotrys atra 635; chartarum 644; lobulata 635

Stemonitis axifera 67, 68, f 69, 77; ferruginea 77; fusca 77; herbatica 663; ovata 77; splendens 77

Stemphylium 644, f 657; consortiale 635; macrosporoideum 635

Sterellum pini 929

Stereum 927; complicatum 927; hirsu-tum 927, 929; murraii 927; ostrea 927, 930; purpureum 927; rugosum 927; striatum 927; subpileatum 85, 514, 515

Stictis 731 Stilbella 644

Streptomyces 83; griseus 83 Streptosporangium roseum 963

Streptothrix mounceae 177

Strobilomyces 820 Stropharia 86 Stysanus 644

Suillosporium cystidiatum 930

Suillus 335, 469-474; sect. Boletinus 335; albidipes 472; **amabilis** 158, 159; caerulescens 157; granulatus 469–474; subsp. granulatus 469; subsp. snellii 469–473; imitatus 157; lakei 159

Syncephalastrum 2-6, 17, 27, 38; race-mosum f 4, 5, 6, f 36, 38, 521, 634,

Syncephalidium 7; penicillatum 7 Syncephalis 2-13, 17, 27, 38, 465-469, f 466, 773; asymmetrica f 5; aurant 466, 773; asymmetrica 15; aurantica 29; bispora 7; cordata 9; cornu 15, f8, 9-13, f36, 465, 467; depressa f5, 7, f8, 9, f11, 12, 13; furcata 9; fuscata 7; fusiger 7, 9; nodosa f5, 7-13, f8, f36, 465-469; obconica 7; penicillata 7, 9; plumigaleatea 7, 9; pycnosperma 9, 11; rapacea 7, sphaerica f5, f8, 9, f11 rapacea 7; sphaerica f5, f8, 9, f11, 12, 13, 465, 467; tenuis 12, 21, 25, 37; truncata 7; wynneae 7, 9

Syncephalopsis 7 Syzygites 671; megalocarpus 671-680

Teloschistis flavicans 154

Tetraccosporum sumstineii 177 Tetrachaetum f 44; elegans f 45, f 46, 47, 51

Tetracladium f 44: marchalianum f 45, 47, 49; maxilliformis 47; setigerum 47

Tetraploa aristata f 52, 54

Thamnidium 797–801; anomalum 799, 800; ctenidium 797–801, f 798, f 799; elegans 799, 800; simplex 799; verticillatum 799

Thaxterogaster 101-105, 111, 122, 124 Thelebolus 289, 304; stercoreus 289, 303; zukalii 289

Thelephora 85, 86; isabellina 611 Thielavia sepedonium 129, 130; terricola

Thielaviopsis 626, 644; basicola 622, 625,

Thyriopsis halepensis 322–325, f 324 Tieghemella hyalospora 777, 779; Tieghemella hyalospora 777, 779; ja-ponica 773, 776, 777; orchidis 777; repens 773, 776 Tieghemiomyces 25-27, 38; californicus

f 25, f 37 Tilletia 562, 565; caries 526, 563-567, f 567, f 568

Tolyposporium ehrenbergii 184-191. f 186; filiferum 184

Tomentella 597-613; atrorubra 605; coriaria 601, 609; epiphylla 606; granulosa 606; pallidofulva 608; rubiginosa 609

Torula 635, 644; herbarum 620; jean-selmei 614-621, f 616, f 617, f 619

Torulopsis glabrata 661

Trametes 886, 892; abietina f. abietis 913, 925; f. lenzitoidea 913, 924; ambigua 868; berkeleyi 868; bicolor 889; centralis 868; cornea 890; corrugata 870, 887-893, f 888; cruenta rugata 870, 887–893, f 888; cruenta 889; cubensis 892; decipiens 529–532; devexa 895; drummondii 531, 532, 538; elegans 866; feathermanni 883; fibrosa 883–886; heteromalla 895; hirsuta 896, 897; hispidula 895; hydnoides 881, 885, 886; hystrix 885; incana 868; junghuhnii 892; lactea 868; lanata 894; moselei 889; niida 890; occidentalis 893; 889; nitida 890; occidentalis 893; ocellata 883; palisoti 866; perparadoxa 532; persoonii 889; protea 894, 895; rigida 532, 538; trogii 514; scabrosa 887; scalaris 894; tegularis 889; ursina 881; wahlenbergii

Trechispora candidissima 930

Trichia affinis 77; botrytis 77; clavata 77; contorta 77; decipiens 77; favoginea 77; floriformis 68, f 70, 77; lateritia 77; persimilis 77; pusilla 77; varia 77; verrucosa 77

Trichobolus 303, 304; pilosus 290; zuka-lii 289-306, f 292, f 294, f 296, f 298 Trichoderma 412, 631, 637; glaucum 635; koningi 635; lignorum 635, 805; viride f 657; paneolum 85-87,

515 Trichophyton georgiae 971; georgii 971; mentagrophytes 83, 412

Trichosporium heteromorphum 614 Trichosporon 659, 660

Trichurus spiralis 635; terrophilus 644 Tricladium f 44, 49; angulatum f 45, f 46, 49; splendens 51

Triscelophorus f 44; monosporus f 45, 49-51, f 52

Tryblidiopsis pinastri 435 Tryblidium calyciiforme 435 Tubifera ferruginosa 76

Tubulicrinis accedens 930; angusta 930; calothrix 930; chaetophora 930; gracillima 930; hamata 930; juniperina 930; propinqua 930; subulata 930

Tylopilus 815-819; sect. Humiles 815; sect. Oxydabiles 818; sect. Tylopilus 818; ferrugineus 818, 819; humilis 815, f817, 818, f824
Tylospora asterophora 930, 931; fibril-

losa 930 Tympanis 424, 425; farinacea 426, 427

Umbelopsis 807; versiformis 805-807, 808, f 806

Uredo agrostidis 711, 713; ammophilina 714; anthoxanthina 706; festucaehalleri 706, 707; glyceriae 706; glyceriae-distantis 706; kerquelensis 706; paulensis 709, 710; phoran-

dendri 811, 812; poae-sudeticae 706 Uromyces 338; amphilophis-insculptae 456; andropogonis-annulati 456; clignyi 456–459, f 457; triandrae 456 Urospora 690, 693; bicaudata 693

Urosporella 690-693; alabamiensis 690, f 691, 692; americana 690, 691; argentinensis 692; cocciferae 693; magnoliae f 691, 692

Usnea 154 Ustilago 562, 565; violacea 567; zeae

Vaginata umbonata 177 Vararia investiens 930 Varicosporium f 52 Venturia sacchari 245

Verticillium albo-atrum 325; serrae 360 Vibrissea 722-737, f726, f729; sect. Apostemium 724, 727-734; sect. Leucovibrissea 725-733; sect. Mi-crostemium 725-734; sect. Vibrissea 727-733; guernisacii 723, 724; obconica f 726, f 729, 730, 733; pezizoides 724-727, f 726, f 729, 731; rimarum 723; sporogyra f 729, 734; truncorum 723, 732

Whitfordia elegans 866 Wynnea macrotus 7

Xenasma 932; gaspesicum 930, f 931, 932; grisellum 930, 931; rimicola 930; tulasnelloideum 930

Xylaria 257, 643; digitata 643; furcata

Xerocomus 820

463

Xylosphaera furcata 463

Zygodesmus atroruber 603, f 605; granulosus 605, 606, f 607; pallidofulvus 608; rubiginosus 599, 608, 609, f 611; tenuissimus 611, 612

HOST INDEX

Abies

Aleurodiscus amorphus 928; canadensis 928; lividocoeruleus 928

Amphinema byssoides 928 Amylostereum chailletii 928

Athelia bicolor 928; galzinii 928; neuhoffii 928

Botryobasidium vagum 928 Cenococcum graniforme 647

Coniophora puteana 928

Corticium confine 928; furfuraceum 928; hydnans 928; sublaeve 928 Gloeocystidiellum furfuraceum 928;

ochraceum 928 Grandinia farinacea 928

Haematostereum sanguinolentum

Hyphoderma clavigerum 928; polonense 928; roseocremeum 928; tenue 928

Hyphodontia pallidula 929; subalutacea 929

Lophomerum autumnale 276

Peniophora carnosa 929; gigantea 929; pithya 929; pubera 929; romellii 929

Poria luteoalba 829, 831; rixosa 840, 842

Scytinostroma galactinum 929 Sistotrema brinkmanni 929 Sistotremastrum suecicum 929 Sphaerobasidium minutum 929 Tubulicrinis accedens 930; subulata

Tympanis 424, 425

Absidia

Dispira parvispora 521

Acacia

Ravenelia stevensii 973 Spumula heteromorpha 338

Grandinia coriaria 600

Hypoxylon grenadense var. macrospora 978 Phomopsis acerina 325, 327

Poria eupora 835, 836 Umbelopsis versiformis 806

Zygodesmus granulosus 608; rubiginosus 611

Agropyron

Puccinia brachypodii var. arrhenatheri 709; montanensis 717

Agrostis

Puccinia brachypodii var. poaenemoralis 706; pygmaea var. pygmaea 713

Alnus

Grandinia coriaria 600

Hypoxylon fuscum 461 Poria eupora 835, 836

Alopecurus

Puccinia brachypodii var. poaenemoralis 707

Althea

Puccinia lobata 804 Amelanchier

Entomosporium 949

Ammophila

Puccinia pygmaea var. ammophilina 714; var. pygmaea 713

Amphilophis

Urom, ces amphilophis-insculptae 456: andropogonis-annulati 456

Andira Daedalea elegans 871

Andropogon

Aecidium hartwegiae 459

Uromyces andropogonis-annulati 456; clignyi 456

Anthoxanthum

Puccinia brachypodii var. poaenemoralis 707

Apodemus (animal)

Haplosporangium parvum 646

Arachis

Acremoniella 638

Alternaria geophila 638; tenuis 638 Aspergillus amstelodami 638: flavus 629, 638; niger 638; ustus 638; wentii 638

Cladosporium herbarum 638 Cylindrocarpon didymum 638

Diplodia 638 Fusarium 638; compactum 638; equiseti 638; oxysporum 638;

solani 638 Helminthosporium tetramera 638 Hormodendrum cladosporioides 638;

hordei 638; pallidum 638 Penicillium 638; atramentosum 638; decumbens 638; fellutanum 638;

frequentans 638; funiculosum 638; jenseni 638; lanosum 638; purpurogenum 638; rubrum 638

Rhizoctonia 638 Rhizopus oryzae 638 Sclerotium 638

Arceuthobium

Cronartium comandrae 474

Arctagrostis

Puccinia brachypodii var. poaenemoralis 707

Arrhenatherum

Puccinia brachypodii var. arrhena-theri 709

Artemisia

Cyathus pygmaeus 974

Artocarpus

Trametes corrugata 893

Arundinaria

Epipolaeum erysipheoides 239

Aster Pycnidiophora dispersa 651

Aucuba

Lambertella brunneola 62

Berberis

Puccinia brachypodii var. arrhenatheri 709; var. brachypodii 703; var. poae-nemoralis 706; montanensis 716; pygmaea var. pygmaea 711, 712

Bertholletia Absidia repens 776

Betula

Amphinema byssoides 928 Athelia galzinii 928; neuhoffii 928 Botryobasidium subcoronatum 928;

vagum 928

Chondrostereum purpureum 928 Cystostereum murraii 928 Grandinia farinacea 928

Hyphoderma argillaceum 928; tenue

Hyphodontia alienata 928; pallidula 929

Peniophora longispora 929 Serpula lacrimans 929 Sistotrema brinkmanni 929; hirshii

Sistotremastrum suecicum 929 Stereum hirsutum 929; ostrea 930 Tubulicrinis gracillima 930

Zygodesmus granulosus 605

Cavostelium bisporum 440

Brachypodium

Puccinia brachypodii var. brachypodii 703, 705; brachypodii-phoenicoidis var. brachypodii-phoenicoidis 719

Bromus

Puccinia brachypodii var. arrhena-theri 710; brachypodii-phoenicoidis var. chisosana 720

Brongniartia Ravenelia rubra 973

Bursera

Coriolus occidentalis 898

Caesalpinia

Ravenelia corbula 336

Cajanus

Orbilia sarraziniana 63

Calamagrostis

Puccinia brachypodii var. arrhena-theri 710; var. poae-nemoralis

707; pygmaea var. angusta 715, 716; var. major 716; var. minor 714; var. pygmaea 711, 713

Castanea Pória eupora 836

Zygodesmus atroruber 605

Casuarina

Phaeotrametes decipiens 538 Catabrosa

Puccinia brachypodii var. poaenemoralis 707

Celtis

Phaeotrametes decipiens 538

Chaetomium

Dispira simplex 25, 518, 521, 522 Chlorophytum

Aecidium hartwegiae 458 Uromyces clignyi 456, 458

Choanephora

Absidia parricida 772

Chrysothamnus

Cyathus pygmaeus 974

Chusquea

Antennularia chusqueae 221, 223 Asteridium chusqueae 227 Dimeriella pumila 231 Dimerina allogena 226, 227 Dimerosporium negerianum 226, 227 Episphaerella chusqueae 243

Isaria acaricida 226 Chytridium

Rozella marina 490

Cirsium

Cercospora cirsii 814

Circinella

Dispira simplex 518, 522

Clematis

Helicominopsis clematidis 159

Clethrionomys (animal) Emmonsia crescens 645

Haplosporangium parvum 646 Cokeromyces

Absidia parricida 772

Dispira parvispora 518, 521 Piptocephalis unispora 23

Colebrookia

Cephalosporium curtipes var. uredinicola 356 Olivea colebrookeae 356

Comandra

Cronartium comandrae 474

Urospora bicaudata 693

Coscinodiscus

Lagenidium cyclotellae 131

Cotoneaster

Entomosporium 949

Coursetia

Phragmopyxis noelii 971

Crataegus

Diplocarpon maculatum 949-960 Entomosporium 949; thuemenii 950

Cryptomeria

Gloeophyllum abietinum 920

Cunninghamella

Absidia parricida 772 Dispira parvispora 521

Cydonia

Entomosporium 949

Cynodon

Epipolaeum erysipheoides 239 Lojkania cynodonifolii 241

Dalbergia

Lambertella brunneola 62, 63

Deschampsia

Puccinia brachypodii var. arrhenatheri 710; pygmaea var. pygmaea 713

Dichanthium

Uromyces andropogonis-annulati 456

Dipterix

Trametes corrugata 893

Echium

Urosporella argentinensis 692 Eichhornia

Cephalosporium eichhorniae 356

Elymus

Puccinia brachypodii var. arrhenatheri 710; montanensis 716, 717

Erithacus (animal) Haplosporangium parvum 646

Erythrina Coriolus occidentalis 898

Poria eupora 835, 836

Festuca

Puccinia brachypodii var. arrhenatheri 710; var. poae-nemoralis 707; pygmaea var. pygmaea 713

Cephalosporium fici 355 Daedalea elegans 871

Fragilaria

Chytridium versatile 375, 377

Fraxinus

Poria eupora 836

Guadua

Antennularia dubiosa 229 Parodiopsis pilosa 230

Gyceria

Puccinia brachypodii var. nemoralis 707

Hamamelis

Poria eupora 836

Hedeoma

Puccinia menthae 972

Helictotrichon

Puccinia brachypodii var. arrhenatheri 710

Hemileia

Cephalosporium curtipes var. uredinicola 356

Hernandia

Trametes corrugata 893

Heteropogon

Uromyces clignyi 456, 458

Hibiscus

Dothiorella berengeriana f. sp. hibisci 814

Hierochloa

Puccinia coronata 711

Holarrhena

Cephalosporium curtipes var. uredinicola 356

Hemileia holarrhenae 356 Hordeum

Puccinia brachypodii var. arrhenatheri 710; montanensis 717

Hystrix

Puccinia montanensis 717

Isaria

Dimerina allogena 226

Jasminum Lambertella brunneola 62, 63

Juniperus

Gloeophyllum striatum 876

Koeleria

Puccinia brachypodii var. arrhenatheri 709, 710

Larix

Lenzites laricina 912 Poria rixosa 841, 842

Lasiacis

Epipolaeum disseminatum 236

Lauderia

Ectrogella perforans 378

Licmophora

Ectrogella eurychasmoides 373; licmophorae 373; perforans 373,

378-380

Liquidambar Poria eupora 835, 836

Liriodendron

Poria eupora 836

Umbelopsis versiformis 806

Lolium

Curvularia 657

Puccinia brachypodii var. nemoralis 707

Magnolia

Urosporella magnoliae 692

Mahonia

Puccinia brachypodii var. arrhenatheri 709

Matthiola

Sclerotinia sclerotiorum 162

Melica

Puccinia brachypodii var. poaenemoralis 707

Meliola

Dimerium japonicum 245 Porostigme microspora 244 Melosira

Chytridium versatile 375

Mespilus

Entomosporium 949 Microtus (animal)

Emmonsia crescens 645 Haplosporangium parvum 646

Mimosa Ravenelia mainsiana 972

Milium

Puccinia brachypodii var. poaenemoralis 707

Molucella

Sclerotinia sclerotiorum 162

Monarda

Puccinia monardae 972

Monascus

Dispira parvispora 520, 521 Mortierella

Absidia parricida 773 Mucor

Absidia parricida 772 Dispira parvispora 521; simplex 518,

Mus (animal)

Haplosporangium parvum 646

Glomerella cingulata 397

Mycotypha

Absidia parricida 772 Dispira parvispora 521

Myristica

Pogonomyces hydnoides 887

Puccinia brachypodii var. poaenemoralis 707

Navicula

Chytridium versatile 375

Nitzschia

Chytridium versatile 375, 377

Cephalosporium curtipes var. uredinicola 355

Olyra

Dysrhynchis oligotricha 234, 235

Oryzopsis

Puccinia brachypodii-phoenicoidis var. davisii 719

Ostrya

Poria eupora 836

Panicum

Dysrhynchis oligotricha 235 Epipolaeum erysipheoides 239 Meliola panici 244

Paspalum

Epipolaeum erysipheoides 239

Pelargonium Sclerotinia sclerotiorum 164

Trametes corrugata 893

Phalaris Puccinia brachypodii var. arrhenatheri 710

Phleum

Puccinia brachypodii var. poaenemoralis 707

Phlox Pycnidiophora dispersa 651

Phoradendron

Uredo phoradendri 811

Aleurocystidiellum subcruentatum

Aleurodiscus lividocoeruleus 928 Amphinema byssoides 928

Amylostereum chailletii 928 Athelia bicolor 928; galzinii 928; neuhoffii 928

Botryobasidium pruinatum 928; subcoronatum 928; vagum 928

Columnocystis abietina 928 Coniophora arida 928

Corticium confine 928; exile 928; furfuraceum 928; hydnans 928; stellulatum 928; sublaeve 928;

submicrosporum 928 Cystostereum murraii 928

Discocainia treleasei 434 Gloeocystidiellum furfuraceum 928 Gloeophyllum abietinum 920

Grandinia farinacea 928 Haematostereum sanguinolentum

Hyphoderma argillaceum 928; cla-

vigerum 928; polonense 928; tenue 928 Hyphodontia alienata 928; floccosa

929: pallidula 929; sambuci 929; subalutacea 929

Lophomerum darkeri 277; septatum 279

Merulius serpens 929

Paullicorticium delicatissimum 929; pearsonii 929

929: Peniophora coccinea-fulva Puccinia brachypodii var. arrhena-theri 710; var. major 711; var. dryina 929; gigantea 929; livida 929; pithya 929; pubera 929; romellii 929; sanguinea 929; poae-nemoralis 706, 707 velutina 929 Podocystis Phlebia livida 929; phlebioides 929; subserialis 929 Ectrogella perforans 378 Polysiphonia Poria eupora 835; luteoalba 831; Chytridium polysiphoniae 490 Populus rixosa 840-842 Corticium evolvens 928 Punctularia strigosozonata 929 Grandinia coriaria 600 Repetobasidium mirificum 929: vile Peniophora polygonia 929; rufa 929 Poria euporus 835, 836 Scleroderris treleasei 418, 434 Punctularia strigosozonata 929 Scytinostroma galactinum 929 Zygodesmus atroruber 603; granu-Sistotrema brinkmanni 929; dialosus 608 demifera 929 Porphyra Sistotremastrum suecicum 929 Pythium 313-318 Sphaerobasidium minutum 929; sub-Potentilla invisibile 929, 932 Frommea obtusa 494 Suillosporium cystidiatum 930 Prunus Tubulicrinis accedens 930; angusta Poria eupora 835 930; calothrix 930; chaetophora 930; gracillima 930; hamata 930; juniperina 930; propinqua Punctularia strigosozonata 929 Pseudotsuga 930; subulata 930 Lenzites abietis 912, 915 Pteridium Tylospora asterophora 930; fibrillosa 930 Cryptomycina pteridis 752 Vararia investiens 930 Xenasma gaspesicum 930, 932; gri-Chondrostereum purpureum 928 sellum 930; rimicola 930 Entomosporium 949 Zygodesmus atroruber 605 Pieris Quercus Cenococcum graniforme 647 Alternaria tenuis 694 Grandinia coriaria 600 Pilaira Poria eupora 835, 836 Absidia parricida 772 Umbelopsis versiformis 805 Pinus Urosporella cocciferae 693 Atropellis apiculata 418; pinicola Zygodesmus rubiginosus 609 Aulographum acicola 322 Radiomyces Cenangium 425; farinaceum 423; piniphilum 417 Syncephalis f 466 Ranunculus Cronartium comandrae 474 Sclerotinia sclerotiorum 163 Crumenula pinicola 417 Relchella Gloeophyllum berkeleyi 874 Puccinia brachypodii var. arrhena-Grandinia coriaria 600 theri 710 Hypodermella arcuata 192 Rhizopus Laeticorticium pini 929 Absidia parricida 773 Leptographium lundbergii 618 Peridermium filamentosum 474 Rubus pulcherrima 947; Chlamydozyma Poria luteoalba 829, 831; rixosa zygota 947 840-842 Sterellum pini 929 Suillus granulatus 470 Saintpaulia Sclerotinia sclerotiorum 164 Thyriopsis halepensis 322, 323

Salacia

Salix

Caeoma divinum 395

Elateraecium salacicola 395

Phaeotrametes decipiens 538

Xenasma tulasnelloideum 930

nosus 609

Grandinia coriaria 600

Platanus

Zygodesmus atroruber 605; rubigi-